# Sample preparation for XRF analysis of metallic materials

....

Linishing (grinding) or milling are the two most commonly used sample preparation methods for X-ray analysis of metallic materials. After the sample preparation procedure, the sample surface should be as homogeneous as possible (clean and that almost all imperfections have been removed). Chips and drillings of hard metals can also be measured if remelted to form a solid sample. For soft metals, you can press the loose material into a stable pellet.

#### Remelting

You can remelt bulk or loose metal particulates to form a solid piece. You can then directly measure such metal samples or prepare them further according to one of the techniques below before analyzing them. Remelting may be combined with diluting. It is not always possible to remelt ferroalloys as fine granules without getting segregation. In this case diluting with metallic iron may result in a homogeneous melt. However, there is a risk of losing volatile elements in this process.

#### Linishing

The sample top layer of hard metallic samples (like steel) is removed by using a linishing belt or disk grinder (comparable to sandpaper) to ensure that measurements are carried out on a flat and non-oxidized surface. Be careful to avoid cross-contamination when using the same area of the sandpaper. It is a very fast and cheap method. Soft alloys (AI- and Cu-based) are usually not suited for linishing as parts of the sample may be smeared out or ripped away from the sample.

#### Grinding

This is very similar to linishing, but instead of sandpaper, it is a solid abrasive (like a rotating stone or circular sander) that is used. The same restriction with regard to soft metals apply.

#### Milling and turning

Milling and turning are techniques usually based on hard-metal tooltip(s) that cut metal away from the sample surface. In a milling machine, the fixed sample is driven towards the usually rotating cutter head that may involve many tool tips. In a lathe, the sample is spun and driven towards a single-bladed cutter head. Mills and lathes will grind laboratory samples at low cost and with a high degree of reproducibility. The rapid machining of laboratory samples is suitable for both XRF and XRD sample preparation. Tool tips are used and for both hard and soft grinding materials when appropriate (hard metal).

contact us for more

This technique produces a clean and flat surface, eliminates cross-contamination and fine-tunes the roughness of the analytical surface.

#### Pressing

Chips and drilling residues from sufficiently malleable alloys can be pressed using a hydraulic press to form a pellet. You can use either a manual or an automated press for this purpose.

#### Fusion

You can prepare powdered metal alloys (e.g. FeSi, FeCr, etc.) as fused borate beads if they are properly oxidized. This offers improved accuracy and reproducibility in comparison to lose powder or pressed pellet analysis. <u>Malvern Panalytical fusion instruments</u> can be very helpful in this situation.





### Why choose us?

## When you make the invisible visible, the impossible is possible.

Our analytical systems and services help our customers to create a better world. Through chemical, physical and structural analysis of materials, they improve everything from the energies that power us and the materials we build with, to the medicines that cure us and the foods we enjoy.

We partner with many of the world's biggest companies, universities and research organizations. They value us not only for the power of our solutions, but also for the depth of our expertise, collaboration and integrity.

With over 2200 employees, we serve the world, and we are part of Spectris plc, the worldleading precision measurements group.

#### Malvern Panalytical. We're BIG on small™

## **Service & Support**

Malvern Panalytical provides the global training, service and support you need to continuously drive your analytical processes at the highest level. We help you increase the return on your investment with us, and ensure that as your laboratory and analytical needs grow, we are there to support you.

Our worldwide team of specialists adds value to your business processes by ensuring applications expertise, rapid response and maximum instrument uptime.

- Local and remote support
- Full and flexible range of support agreements
- Compliance and validation support
- Onsite or classroom-based training courses
- e-Learning training courses and web seminars
- Sample and application consultancy



### **Malvern Panalytical**

Grovewood Road, Malvern, Worcestershire, WR14 1XZ, United Kingdom

Tel. +44 1684 892456 Fax. +44 1684 892789 Lelyweg 1, 7602 EA Almelo, The Netherlands

Tel. +31 546 534 444 Fax. +31 546 534 598

content in this material at any time without notice. completeness correctness or accuracy, / as to the a the conten reserves the right to change t warranty g epresentation any permission. Malvern Panalytical imply 5 construed written express material. e can without our this the use of nothing transmitted with is accurate damages in connection f may not be copied or tr material ation in this contained herein or for thereof ensure that the inform been used to ensure that the infi liable for errors contained hereir . This publication or any portion been Disclaimer: Although diligent care has b of this information and we shall not be I Copyright: © 2021 Malvern Panalytical.

www.malvernpanalytical.com